

| *>10 <sup>6</sup> | 目量      | ひょう量          | 繰返し性  |       | 偏置荷重  |       | スパン  |               | 正確さ測定      |  | 温度係数<br>ppm/K  | 適用天びん |
|-------------------|---------|---------------|-------|-------|-------|-------|------|---------------|------------|--|--|-------|
|                   |         |               | 試験荷重  | 試験荷重  | 試験荷重  | 試験荷重  | 風袋荷重 | 試験荷重          |            |  |  |       |
|                   | 0.1 mg  | 16 g(166 g)   | 10 g  | 10 g  | 15 g  | 5 g   |      | 4/7/10 g      | 3          |  | 2002MP1/2003MP1/2022MP6  |       |
|                   | 0.1 mg  | 30 g          | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 2          |  | 1201C  |       |
|                   | 0.1 mg  | 30 g(160 g)   | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 3          |  | 2001MP2  |       |
|                   | 0.1 mg  | 30 g(170 g)   | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 3          |  | 2006MP6  |       |
|                   | 0.1 mg  | 31 g          | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 2          |  | H51  |       |
|                   | 0.1 mg  | 50 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 4          |  | 1207MP5  |       |
|                   | 0.1 mg  | 60 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 2          |  | BJ60S/TE64/AZ64  |       |
|                   | 0.1 mg  | 61 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 1.2<br>2   |  | BP61/BP61S<br>BA61   |       |
|                   | 0.1 mg  | 64 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 1.2<br>1   |  | CP64/WZ(A)64(-CW.X)<br>CPA64   |       |
|                   | 0.1 mg  | 64 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 2          |  | TE64   |       |
|                   | 0.1 mg  | 70 g          | 50 g  | 50 g  | 70 g  | 20 g  |      | 20/30/50 g    | 15         |  | LMA200PM(-000US)   |       |
|                   | 0.5 mg  | 61 g          | 20 g  | 20 g  | 60 g  | 20 g  |      | 15/30/40 g    | 1.2        |  | WZ61S  |       |
|                   | 0.001 g | 10 g(160 g)   | 5 g   | 5 g   | 10 g  | 5 g   |      | 2/5/7 g       | 20         |  | 3005/3015  |       |
|                   | 0.001 g | 30 g          | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 2          |  | MA30   |       |
|                   | 0.001 g | 30 g          | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 15         |  | MMA30  |       |
|                   | 0.001 g | 35 g          | 20 g  | 20 g  | 30 g  | 10 g  |      | 7/15/20 g     | 3.3        |  | MA35/MA35M   |       |
|                   | 0.001 g | 40 g          | 20 g  | 20 g  | 40 g  | 10 g  |      | 10/20/30 g    | 2          |  | MA40   |       |
|                   | 0.001 g | 45 g          | 20 g  | 20 g  | 40 g  | 10 g  |      | 10/20/30 g    | 3.3        |  | MA45   |       |
|                   | 0.001 g | 50 g          | 20 g  | 20 g  | 50 g  | 20 g  |      | 10/20/30 g    | 2          |  | MA50   |       |
|                   | 0.001 g | 50 g          | 20 g  | 20 g  | 50 g  | 20 g  |      | 10/20/30 g    | 3.3        |  | MA50C/MA50H  |       |
|                   | 0.001 g | 100 g         | 50 g  | 50 g  | 100 g | 50 g  |      | 20/50/70 g    | 1          |  | MA100C/MA100H  |       |
|                   | 0.001 g | 100 g         | 50 g  | 50 g  | 100 g | 50 g  |      | 20/50/70 g    | 5          |  | ELT103   |       |
|                   | 0.001 g | 110 g         | 50 g  | 50 g  | 100 g | 50 g  |      | 30/50/70 g    | 1.8<br>2   |  | BP110<br>BA110   |       |
|                   | 0.001 g | 121 g         | 50 g  | 50 g  | 100 g | 50 g  |      | 30/50/80 g    | 3          |  | H120   |       |
|                   | 0.001 g | 145 g         | 50 g  | 50 g  | 140 g | 50 g  |      | 30/50/80 g    | 3.3        |  | MA145  |       |
|                   | 0.001 g | 150 g         | 50 g  | 50 g  | 150 g | 50 g  |      | 30/70/100 g   | 1.8<br>3.3 |  | BP150/CP153<br>BJ150S/TE153S(-DS)/MA150                                  |       |
|                   | 0.001 g | 150 g         | 50 g  | 50 g  | 150 g | 50 g  |      | 30/70/100 g   | 2          |  | ED153(-CW)   |       |
|                   | 0.001 g | 160 g         | 50 g  | 50 g  | 150 g | 50 g  |      | 40/70/100 g   | 3<br>4     |  | H160<br>3705/AZ153   |       |
|                   | 0.001 g | 200 g         | 100 g | 100 g | 200 g | 100 g |      | 50/100/150 g  | 20         |  | ELT202   |       |
|                   | 0.001 g | 210 g         | 100 g | 100 g | 200 g | 100 g |      | 50/100/150 g  | 3          |  | Secura213/Quintix213   |       |
|                   | 0.001 g | 210 g         | 100 g | 100 g | 200 g | 100 g |      | 50/100/150 g  | 5          |  | Practum213   |       |
|                   | 0.001 g | 220 g         | 100 g | 100 g | 200 g | 100 g |      | 50/100/150 g  | 2          |  | CPA223S(-OCE)  |       |
|                   | 0.001 g | 222 g         | 100 g | 100 g | 200 g | 100 g |      | 50/100/150 g  | 3          |  | L220S/1405MP8  |       |
|                   | 0.001 g | 310 g         | 100 g | 100 g | 300 g | 100 g |      | 70/150/200 g  | 1.8<br>2   |  | BA310S/BP310S<br>B310S   |       |
|                   | 0.001 g | 310 g         | 100 g | 100 g | 300 g | 100 g |      | 70/150/200 g  | 3          |  | Secura313/Quintix313   |       |
|                   | 0.001 g | 310 g         | 100 g | 100 g | 300 g | 100 g |      | 70/150/200 g  | 5          |  | Practum313   |       |
|                   | 0.001 g | 320 g         | 100 g | 100 g | 300 g | 100 g |      | 70/150/200 g  | 1.8        |  | CP323S(-OCE)/LE323S  |       |
|                   | 0.001 g | 320 g         | 100 g | 100 g | 300 g | 100 g |      | 70/150/200 g  | 2          |  | ED323S(-CW)/WZA323(-CW)/MS(X)323S/CPA323S(-OCE)                          |       |
|                   | 0.001 g | 410 g         | 200 g | 200 g | 400 g | 200 g |      | 100/200/300 g | 1.8        |  | BP410S   |       |
|                   | 0.001 g | 420 g         | 200 g | 200 g | 400 g | 200 g |      | 100/200/300 g | 2          |  | CP(A)423S(-OCE.DS)/ED423S(-CW)/AX423                                     |       |
|                   | 0.001 g | 424 g         | 200 g | 200 g | 400 g | 200 g |      | 100/200/300 g | 2          |  | L420S/1465MP8.2  |       |
|                   | 0.001 g | 500 g         | 200 g | 200 g | 500 g | 200 g |      | 100/200300 g  | 2          |  | 1608MP6  |       |
|                   | 0.001 g | 510 g         | 200 g | 200 g | 500 g | 200 g |      | 150/300/400 g | 3          |  | Secura513/Quintix513   |       |
|                   | 0.001 g | 520 g         | 200 g | 200 g | 500 g | 200 g |      | 150/300/400 g | 2          |  | WZA523(-CW.NC.N)   |       |
|                   | 0.001 g | 555 g         | 200 g | 200 g | 500 g | 200 g |      | 150/300/400 g | 2          |  | 5408   |       |
|                   | 0.001 g | 620 g         | 200 g | 200 g | 600 g | 200 g |      | 150/300/400 g | 1.8        |  | LC620S/LC621S/LP620S/LA620S<br>FB06BBE-S/IS06BBE-S/FC06BBE-S(X)/WZA623-X |       |
|                   | 0.001 g | 620 g         | 200 g | 200 g | 600 g | 200 g |      | 150/300/400 g | 2          |  | LE623S/ED623S(-CW)/CPA623S/MS(X)623S/AX623                               |       |
|                   | 0.01 g  | 100 g(1000 g) | 50 g  | 50 g  | 100 g | 50 g  |      | 20/50/70 g    | 20         |  | 3004/3014  |       |
|                   | 0.01 g  | 120 g         | 50 g  | 100 g | 100 g | 50 g  |      | 30/70/100 g   | 20         |  | PT120-000V1  |       |

| *>10 <sup>6</sup> | 目量     | ひょう量   | 繰返し性   |        | 偏置荷重   |        | スパン              |      | 正確さ測定  |  | 温度係数<br>ppm/K | 適用天びん |
|-------------------|--------|--------|--------|--------|--------|--------|------------------|------|--|--|---------------|-------|
|                   |        |        | 試験荷重   | 試験荷重   | 試験荷重   | 試験荷重   | 風袋荷重             | 試験荷重 |  |  |               |       |
|                   | 0.01 g | 121 g  | 50 g   | 100 g  | 100 g  | 50 g   | 30/70/100 g      | 20   | PT120  |  |               |       |
|                   | 0.01 g | 150 g  | 50 g   | 100 g  | 150 g  | 50 g   | 30/70/100 g      | 20   | PT150  |  |               |       |
|                   | 0.01 g | 150 g  | 50 g   | 100 g  | 150 g  | 50 g   | 30/70/100 g      | 20   | BJ150  |  |               |       |
|                   | 0.01 g | 210 g  | 100 g  | 100 g  | 200 g  | 100 g  | 50/100/150 g     | 15   | BA210  |  |               |       |
|                   | 0.01 g | 210 g  | 100 g  | 100 g  | 200 g  | 100 g  | 50/100/150 g     | 15   | PT210  |  |               |       |
|                   | 0.01 g | 210 g  | 100 g  | 100 g  | 200 g  | 100 g  | 50/100/150 g     | 15   | TE212-L  |  |               |       |
|                   | 0.01 g | 210 g  | 100 g  | 100 g  | 200 g  | 100 g  | 50/100/150 g     | 10   | AZ212  |  |               |       |
|                   | 0.01 g | 300 g  | 100 g  | 100 g  | 300 g  | 100 g  | 70/150/200 g     | 6    | 1202A  |  |               |       |
|                   | 0.01 g | 310 g  | 100 g  | 100 g  | 300 g  | 100 g  | 70/150/200 g     | 5    | L310   |  |               |       |
|                   | 0.01 g | 310 g  | 100 g  | 100 g  | 300 g  | 100 g  | 70/150/200 g     | 6    | 1402MP7.2/1402MP8  |  |               |       |
|                   |        |        |        |        |        |        |                  | 10   | BJ310  |  |               |       |
|                   |        |        |        |        |        |        |                  | 17   | PT310  |  |               |       |
|                   | 0.01 g | 400 g  | 200 g  | 200 g  | 400 g  | 200 g  | 100/200/300 g    | 5    | 1202B  |  |               |       |
|                   | 0.01 g | 400 g  | 200 g  | 200 g  | 400 g  | 200 g  | 100/200/300 g    | 20   | ELT402   |  |               |       |
|                   | 0.01 g | 410 g  | 200 g  | 200 g  | 400 g  | 200 g  | 100/200/300 g    | 5    | B410/BP410/TE412-L   |  |               |       |
|                   | 0.01 g | 420 g  | 200 g  | 200 g  | 400 g  | 200 g  | 100/200/300 g    | 2    | LC420 /LC421/LP420/LA420   |  |               |       |
|                   | 0.01 g | 600 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 5    | 1209MP3/1409MP7  |  |               |       |
|                   | 0.01 g | 600 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 5    | 1409MP7/3709   |  |               |       |
|                   | 0.01 g | 600 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 20   | ELT602   |  |               |       |
|                   | 0.01 g | 610 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 4    | BA610  |  |               |       |
|                   |        |        |        |        |        |        |                  | 5    | B610/BP610   |  |               |       |
|                   | 0.01 g | 610 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 4    | L610/1409MP7.2/1409MP8   |  |               |       |
|                   | 0.01 g | 610 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 5    | BJ610/TE612-L/AZ612/Quintix612/Practum612  |  |               |       |
|                   | 0.01 g | 620 g  | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 4    | CP622  |  |               |       |
|                   | 0.01 g | 820 g  | 500 g  | 500 g  | 800 g  | 300 g  | 200/400/500 g    | 2    | LC820/LC821/LC821-00MS<br>LP820/LA820/ED822(-CW)/AX822   |  |               |       |
|                   | 0.01 g | 1100 g | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 3    | Secura1102   |  |               |       |
|                   | 0.01 g | 1100 g | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 5    | Quintix1102/Practum1102  |  |               |       |
|                   | 0.01 g | 1200 g | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 2    | MS(X)1202S   |  |               |       |
|                   | 0.01 g | 1500 g | 500 g  | 500 g  | 1500 g | 500 g  | 300/700/1000 g   | 4    | AZ1502   |  |               |       |
|                   | 0.01 g | 1500 g | 500 g  | 500 g  | 1500 g | 500 g  | 300/700/1000 g   | 3.3  | BJ1500S/TE1502S  |  |               |       |
|                   | 0.01 g | 2000 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 3    | 1204C/1204MP   |  |               |       |
|                   | 0.01 g | 2100 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 1.8  | BP2100S  |  |               |       |
|                   |        |        |        |        |        |        |                  | 2    | BA2100S  |  |               |       |
|                   | 0.01 g | 2100 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 3    | Secura2102   |  |               |       |
|                   | 0.01 g | 2100 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 5    | Quintix2102/Practum2102  |  |               |       |
|                   | 0.01 g | 2200 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 2    | LC2200S/LC2201S/CP2202S/LE2202S  |  |               |       |
|                   | 0.01 g | 2200 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 2    | LP2200S/LA2200S/IS2CCE-S/FB2CCE-S/FC2CCE-S(X)<br>ED2202S(-CW)/MS(X)2202S/CPA2202S(-0CE,DS)<br>AX2202 |  |               |       |
|                   | 0.01 g | 2200 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 3    | 3707   |  |               |       |
|                   | 0.01 g | 2220 g | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 3    | L2200S(-X)/1404MP8   |  |               |       |
|                   | 0.01 g | 3000 g | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 3    | 1264MP   |  |               |       |
|                   | 0.01 g | 3100 g | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 1.8  | BP3100S  |  |               |       |
|                   |        |        |        |        |        |        |                  | 2    | B3100S   |  |               |       |
|                   | 0.01 g | 3100 g | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 3    | AZ3102/Secura3102/Quintix3102  |  |               |       |
|                   | 0.01 g | 3100 g | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 2.5  | TE3102S  |  |               |       |
|                   | 0.01 g | 3200 g | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 2    | CP(A)3202S(-0CE)/ED3202S(-CW)  |  |               |       |
|                   | 0.01 g | 4000 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 3    | 1364MP6  |  |               |       |
|                   | 0.01 g | 4000 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 8    | 1304MP6  |  |               |       |
|                   | 0.01 g | 4100 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 1.8  | BA4100S  |  |               |       |
|                   | 0.01 g | 4100 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 1.8  | BP4100S  |  |               |       |
|                   | 0.01 g | 4140 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 3    | U4100S   |  |               |       |
|                   | 0.01 g | 4200 g | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 1.6  | LC4200S/LC4201S/CP4202S  |  |               |       |

| *>10 <sup>6</sup> | 目量     | ひょう量           | 繰返し性   |        | 偏置荷重   |        | スパン              |        | 正確さ測定    |  | 温度係数<br>ppm/K | 適用天びん |
|-------------------|--------|----------------|--------|--------|--------|--------|------------------|--------|----------|--|---------------|-------|
|                   |        |                | 試験荷重   | 試験荷重   | 試験荷重   | 試験荷重   | 試験荷重             | 試験荷重   | 試験荷重     | 試験荷重   |               |       |
|                   | 0.01 g | 4200 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 1.6      | LP4200S/LA4200S  |               |       |
|                   | 0.01 g | 4200 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 2        | LE4202S/ED4202S(-CW)/MS(X)4202S/CPA4202S(-OCE)AX4202                     |               |       |
|                   | 0.01 g | 5020 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1100/3000/4000 g | 2000 g | 3        | 1307 004   |               |       |
|                   | 0.01 g | 5100 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 3        | Secura5102/Quintix5102   |               |       |
|                   | 0.01 g | 5200 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 2        | ME(X)5202S/CPA5202S-DS   |               |       |
|                   | 0.01 g | 5550 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 2        | E5500S/1507MP8/1907MP8/5407  |               |       |
|                   | 0.01 g | 6100 g         | 2000 g | 2000 g | 6000 g | 2000 g | 1500/3000/4000 g | 2000 g | 3        | U6100S   |               |       |
|                   | 0.01 g | 6200 g         | 2000 g | 2000 g | 6000 g | 2000 g | 1500/3000/4000 g | 2000 g | 1.8      | LC6200S/LC6201S/LP6200S/LA6200S<br>IS6CCE-H/FB6CCE-H/FC6CCE-H(X)/LE6202S |               |       |
|                   | 0.01 g | 6200 g         | 2000 g | 2000 g | 6000 g | 2000 g | 1500/3000/4000 g | 2000 g | 2        | ED6202S(-CW)WZA6202-X/CPA6202S(-OCE)/MS(X)6202S<br>AX6202                |               |       |
|                   | 0.01 g | 8200 g         | 5000 g | 5000 g | 8000 g | 3000 g | 2000/4000/5000 g | 2000 g | 2        | LP8200S/LA8200S/WZA8202(-CW.NC.N)/MS(X)8202S                             |               |       |
|                   | 0.1 g  | 300 g          | 100 g  | 100 g  | 300 g  | 100 g  | 70/150/200 g     | 100 g  | 30       | 1003   |               |       |
|                   | 0.1 g  | 500 g          | 200 g  | 200 g  | 500 g  | 200 g  | 100/200/300 g    | 200 g  | 30       | P500/1002MP9   |               |       |
|                   | 0.1 g  | 600 g          | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 200 g  | 20       | ELT601   |               |       |
|                   | 0.1 g  | 605 g          | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 200 g  | 30       | P600   |               |       |
|                   | 0.1 g  | 610 g          | 200 g  | 200 g  | 600 g  | 200 g  | 150/300/400 g    | 200 g  | 50<br>60 | BJ600/CB06CCX-N/PT610/TE601-L<br>PT600                                   |               |       |
|                   | 0.1 g  | 1000 g         | 500 g  | 500 g  | 1000 g | 500 g  | 200/500/700 g    | 200 g  | 20       | ELT1001  |               |       |
|                   | 0.1 g  | 1000 g(5000 g) | 500 g  | 500 g  | 1000 g | 500 g  | 200/500/700 g    | 200 g  | 20       | 3002/3012  |               |       |
|                   | 0.1 g  | 1200 g         | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 200 g  | 15<br>20 | 1206MP/1206MP3<br>3706   |               |       |
|                   | 0.1 g  | 1200 g         | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 200 g  | 30       | PT1200-000V1   |               |       |
|                   | 0.1 g  | 1210 g         | 500 g  | 500 g  | 1000 g | 500 g  | 300/500/800 g    | 200 g  | 30       | PT1200   |               |       |
|                   | 0.1 g  | 1500 g         | 500 g  | 500 g  | 1500 g | 500 g  | 300/700/1000 g   | 200 g  | 10       | 1401MP7  |               |       |
|                   | 0.1 g  | 1500 g         | 500 g  | 500 g  | 1500 g | 500 g  | 300/700/1000 g   | 200 g  | 20       | BJ1500   |               |       |
|                   | 0.1 g  | 1500 g         | 500 g  | 500 g  | 1500 g | 500 g  | 300/700/1000 g   | 200 g  | 30       | PT1500   |               |       |
|                   | 0.1 g  | 2000 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 20       | ELT2001  |               |       |
|                   | 0.1 g  | 2100 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 4        | 1401MP7.2  |               |       |
|                   | 0.1 g  | 2100 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 5        | BP2100   |               |       |
|                   | 0.1 g  | 2100 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 15       | BA2100/PT2100/TE2101-L   |               |       |
|                   | 0.1 g  | 2100 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 20       | AZ2101   |               |       |
|                   | 0.1 g  | 2200 g         | 1000 g | 1000 g | 2000 g | 1000 g | 500/1000/1500 g  | 200 g  | 2<br>4   | LC2200/LP2200/LA2200/CP2201/ED2201(-CW)<br>1401MP8                       |               |       |
|                   | 0.1 g  | 3000 g         | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 200 g  | 10       | 1406MP7  |               |       |
|                   | 0.1 g  | 3000 g         | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 200 g  | 10       | 3703   |               |       |
|                   | 0.1 g  | 3000 g         | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 200 g  | 10       | CW...3...I   |               |       |
|                   | 0.1 g  | 3100 g         | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 200 g  | 10       | BJ3100   |               |       |
|                   | 0.1 g  | 3100 g         | 1000 g | 1000 g | 3000 g | 1000 g | 700/1500/2000 g  | 200 g  | 17       | PT3100   |               |       |
|                   | 0.1 g  | 3600 g         | 1000 g | 2000 g | 3500 g | 1000 g | 1000/2000/3000 g | 200 g  | 10       | U3600  |               |       |
|                   | 0.1 g  | 3700 g         | 1000 g | 2000 g | 3500 g | 1000 g | 1000/2000/2500 g | 200 g  | 8        | 1203B  |               |       |
|                   | 0.1 g  | 4000 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/2500 g | 2000 g | 8        | 1203C  |               |       |
|                   | 0.1 g  | 4000 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/2500 g | 2000 g | 20       | ELT4001  |               |       |
|                   | 0.1 g  | 4100 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 4<br>5   | BA4100/TE4101-L<br>BP4100/AZ4101   |               |       |
|                   | 0.1 g  | 4140 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 5        | B4100  |               |       |
|                   | 0.1 g  | 4140 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 10       | U4100  |               |       |
|                   | 0.1 g  | 4200 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 4        | LC4200/LC4201/CP4201   |               |       |
|                   | 0.1 g  | 4200 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 4        | LP4200/LA4200  |               |       |
|                   | 0.1 g  | 4200 g         | 2000 g | 2000 g | 4000 g | 2000 g | 1000/2000/3000 g | 2000 g | 5        | 1406MP7.2  |               |       |
|                   | 0.1 g  | 5100 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 10       | Quintix5101/Practum5101  |               |       |
|                   | 0.1 g  | 5200 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 4        | LE5201/CPA5201(-OCE)MS(X)5201S   |               |       |
|                   | 0.1 g  | 5200 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 2        | ED5201(-CW)  |               |       |
|                   | 0.1 g  | 5500 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 5        | 1403MP7/1403MP7.2  |               |       |
|                   | 0.1 g  | 5550 g         | 2000 g | 2000 g | 5000 g | 2000 g | 1500/3000/4000 g | 2000 g | 5        | 1493MP7-2/1493MP8  |               |       |

| *>10 <sup>6</sup> | 目量    | ひょう量    | 繰返し性    |         | 偏置荷重    |         | スパン                 |         | 正確さ測定              |  | 温度係数<br>ppm/K | 適用天びん |
|-------------------|-------|---------|---------|---------|---------|---------|---------------------|---------|--------------------|--|---------------|-------|
|                   |       |         | 試験荷重    | 試験荷重    | 試験荷重    | 試験荷重    | 風袋荷重                | 試験荷重    |                    |  |               |       |
|                   | 0.1 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 1.5                | SIWSDCP-1-6-H  |               |       |
|                   | 0.1 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 20                 | ELT6001  |               |       |
|                   | 0.1 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 5                  | 3802MP(旧)  |               |       |
|                   | 0.1 g | 6100 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 4<br>5<br>10<br>20 | BA6100<br>B6100/U6100/X1493/1403MP8/1493MP8.1<br>BP6100<br>QT6100  |               |       |
|                   | 0.1 g | 6100 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 5                  | BJ6100/TE6101-L/AZ6101   |               |       |
|                   | 0.1 g | 6200 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 4<br>5             | LC6200/LC6201/CP6201/CM6200-X<br>XT6200  |               |       |
|                   | 0.1 g | 6200 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 4                  | LP6200/LA6200/IS6CCE-S/FB6CCE-S/FC6CCE-S(X)  |               |       |
|                   | 0.1 g | 6200 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 2000 g  | 10                 | PMA6200  |               |       |
|                   | 0.1 g | 7000 g  | 5000 g  | 5000 g  | 7000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 10                 | SIWADCP-1-7-S  |               |       |
|                   | 0.1 g | 7200 g  | 5000 g  | 5000 g  | 7000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 10                 | PMA7200  |               |       |
|                   | 0.1 g | 7500 g  | 5000 g  | 5000 g  | 7000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 10                 | PMA7500(-X)  |               |       |
|                   | 0.1 g | 7500 g  | 5000 g  | 5000 g  | 7000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 10                 | QC7DCE-S   |               |       |
|                   | 0.1 g | 8000 g  | 5000 g  | 5000 g  | 8000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 4<br>5             | 1303MP6<br>3802MP/5802   |               |       |
|                   | 0.1 g | 8100 g  | 5000 g  | 5000 g  | 8000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 4                  | BP8100   |               |       |
|                   | 0.1 g | 8200 g  | 5000 g  | 5000 g  | 8000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 4                  | CP(A)8201(-OCE)/CM8200/MS(X)8201S  |               |       |
|                   | 0.1 g | 8200 g  | 5000 g  | 5000 g  | 8000 g  | 2000 g  | 2000/4000/5000 g    | 2000 g  | 10                 | ED8201(-CW)  |               |       |
|                   | 0.1 g | 10000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | CPA10001   |               |       |
|                   | 0.1 g | 10200 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | 1901MP8  |               |       |
|                   | 0.1 g | 11100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | LE10001  |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | 3802MP6  |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | BP12000S   |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | CP12001S/WZA12001(-X)  |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | LC12000S/LC12001S  |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | FB12CCE-S/FC12CCE-S(X)<br>IS12CCE-S/LP12000S/LA12000S  |               |       |
|                   | 0.1 g | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 2                  | CP(A)12001S(-OCE)  |               |       |
|                   | 0.1 g | 12100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 3                  | E12000S  |               |       |
|                   | 0.1 g | 12100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | I12000S(-X)  |               |       |
|                   | 0.1 g | 12100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | 1501MP8  |               |       |
|                   | 0.1 g | 12100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | 3902MP8-1  |               |       |
|                   | 0.1 g | 12200 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 5000 g  | 4                  | MS(X)12201S  |               |       |
|                   | 0.1 g | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 5000 g  | 1.6<br>4           | LP16000S/LA16000S<br>3804MP  |               |       |
|                   | 0.1 g | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 5000 g  | 2                  | IB16000S/BP16000S/FBG16EDE-H/FC16EDE-H(X)<br>FCA16EDE-HX/CP(A)16001S(-OCE)/FB16EDE-S<br>FC16EDE-S/IB16000S<br>IS16EDE-S0CE(H)/LP16001S/LA16001S/LE16001S |               |       |
|                   | 0.1 g | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 5000 g  | 2<br>4             | IC16000S/LC16000S/SIWSDCP-1-16-H<br>5804   |               |       |
|                   | 0.1 g | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 5000 g  | 4                  | 3862MP6/5824   |               |       |
|                   | 0.1 g | 16500 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 5000 g  | 3                  | 3862MP8/5762MP6  |               |       |
|                   | 0.1 g | 20200 g | 10000 g | 10000 g | 20000 g | 10000 g | 5000/10000/15000 g  | 10000 g | 2                  | MS(X)20201S  |               |       |
|                   | 0.1 g | 22000 g | 10000 g | 10000 g | 20000 g | 10000 g | 5000/10000/15000 g  | 10000 g | 3                  | 3804MP6  |               |       |
|                   | 0.1 g | 30000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10000 g | 3                  | 3808MP6  |               |       |
|                   | 0.1 g | 32500 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10000 g | 2<br>3             | F32000S(-X)<br>5708MP6/3808MP8   |               |       |
|                   | 0.1 g | 34000 g | 10000 g | 20000 g | 30000 g | 10000 g | 7000/15000/25000 g  | 10000 g | 2                  | CP(A)34001S(-OCE)  |               |       |
|                   | 0.1 g | 34000 g | 10000 g | 20000 g | 30000 g | 10000 g | 7000/15000/25000 g  | 10000 g | 2                  | LP34001S/LA34001S/LE34001S/FBG34EDE-H<br>IS34EDE-P0CE(H)/FB34EDE-P/FBG34EDE-H<br>FC34EDE-H(X)/FCA34EDE-HX  |               |       |
|                   | 0.1 g | 35000 g | 10000 g | 20000 g | 30000 g | 10000 g | 7000/15000/25000 g  | 10000 g | 2                  | SIWSDCP-1-35-H   |               |       |
|                   | 0.1 g | 36200 g | 10000 g | 20000 g | 30000 g | 10000 g | 7000/15000/25000 g  | 10000 g | 2                  | MS(X)36201S  |               |       |
|                   | 0.1 g | 64000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 20000 g | 3                  | LP64001S/LA64001S/FBG64EDE-H/IS64EDE-H<br>FC64EDE-H(X)/FCA64EDE-HX   |               |       |

| *>10 <sup>6</sup> | 目量    | ひょう量    | 繰返し性    |         | 偏置荷重    |         | スパン                 |                     | 正確さ測定                              |             | 温度係数<br>ppm/K | 適用天びん |
|-------------------|-------|---------|---------|---------|---------|---------|---------------------|---------------------|------------------------------------|-------------|---------------|-------|
|                   |       |         | 試験荷重    | 試験荷重    | 試験荷重    | 試験荷重    | 風袋荷重                | 試験荷重                |                                    |             |               |       |
|                   | 0.1 g | 70200 g | 20000 g | 30000 g | 70000 g | 20000 g | 20000 g             | 20000/30000/50000 g | 3                                  | MS(X)70201S |               |       |
|                   | 0.2 g | 1200 g  | 500 g   | 500 g   | 1000 g  | 500 g   | 300/500/800 g       | 30                  | CB1CCX-N                           |             |               |       |
|                   | 0.2 g | 3000 g  | 1000 g  | 1000 g  | 3000 g  | 1000 g  | 700/1500/2000 g     | 10                  | CW...3...-L/MW...-L                |             |               |       |
|                   | 0.2 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 10                  | EA6DCE-I                           |             |               |       |
|                   | 0.2 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 10                  | CW...6...-I/SIWRDCP-1-6-I          |             |               |       |
|                   | 0.2 g | 15000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 3000/7000/10000 g   | 6                   | QA15DCE-S/QC15DCE-S                |             |               |       |
|                   | 0.2 g | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 3000/7000/10000 g   | 10                  | SIWADCP-1-16-S                     |             |               |       |
|                   | 0.5 g | 3000 g  | 1000 g  | 1000 g  | 3000 g  | 1000 g  | 700/1500/2000 g     | 100                 | CB3CCX-N                           |             |               |       |
|                   | 0.5 g | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 2000 g  | 1500/3000/4000 g    | 10                  | CW...6...-L/MW...-L/IW2P1-30ED-L   |             |               |       |
|                   | 0.5 g | 15000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 3000/7000/10000 g   | 10                  | CW...15...-I/SIWRDCP-1-15-I        |             |               |       |
|                   | 0.5 g | 15000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 3000/7000/10000 g   | 15                  | IS15DCS-MOCE                       |             |               |       |
|                   | 0.5 g | 15000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 3000/7000/10000 g   | 50                  | EA15DCE-I                          |             |               |       |
|                   | 0.5 g | 35000 g | 10000 g | 20000 g | 35000 g | 10000 g | 7000/20000/25000 g  | 10                  | SIWADCP-1-35-S                     |             |               |       |
|                   | 0.5 g | 35000 g | 10000 g | 20000 g | 35000 g | 10000 g | 7000/20000/25000 g  | 5                   | QA35EDE-S/QC35EDE-S                |             |               |       |
|                   | 1 g   | 3000 g  | 1000 g  | 1000 g  | 3000 g  | 1000 g  | 700/1500/2000 g     | 10                  | CW...3...-LCE                      |             |               |       |
|                   | 1 g   | 3000 g  | 1000 g  | 1000 g  | 3000 g  | 1000 g  | 700/1500/2000 g     | 30                  | 1020                               |             |               |       |
|                   | 1 g   | 3000 g  | 1000 g  | 1000 g  | 3000 g  | 1000 g  | 700/1500/2000 g     | 100                 | BJ3                                |             |               |       |
|                   | 1 g   | 4100 g  | 2000 g  | 2000 g  | 4000 g  | 2000 g  | 1000/2000/3000 g    | 50                  | TE4100-L                           |             |               |       |
|                   | 1 g   | 5000 g  | 1000 g  | 2000 g  | 5000 g  | 2000 g  | 1000/2000/3000 g    | 20                  | 1006                               |             |               |       |
|                   | 1 g   | 5100 g  | 1000 g  | 2000 g  | 5000 g  | 2000 g  | 1000/2000/3000 g    | 10                  | Quintix5100/Practum5100            |             |               |       |
|                   | 1 g   | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 50                  | BJ6/CB6CCE-X                       |             |               |       |
|                   | 1 g   | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 50                  | EA6DCE-L/EB6DCE-L                  |             |               |       |
|                   | 1 g   | 6000 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 20                  | ELT6000                            |             |               |       |
|                   | 1 g   | 6050 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 30                  | P6                                 |             |               |       |
|                   | 1 g   | 6100 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 10                  | 1407                               |             |               |       |
|                   |       |         |         |         |         |         |                     | 60                  | PT6/PT6-000V2                      |             |               |       |
|                   | 1 g   | 6100 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 60                  | PT6-000V1                          |             |               |       |
|                   | 1 g   | 6100 g  | 2000 g  | 2000 g  | 6000 g  | 1000 g  | 1500/3000/4000 g    | 50                  | TE6100-L                           |             |               |       |
|                   | 1 g   | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 25                  | BJ12                               |             |               |       |
|                   | 1 g   | 12000 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 25                  | TE12000-L                          |             |               |       |
|                   | 1 g   | 12100 g | 5000 g  | 5000 g  | 10000 g | 5000 g  | 3000/5000/8000 g    | 20                  | I12/3905MP8-1/QT12                 |             |               |       |
|                   | 1 g   | 15000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 10                  | CW...15...-L/MW...-L               |             |               |       |
|                   | 1 g   | 15100 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 20                  | I15                                |             |               |       |
|                   | 1 g   | 16000 g | 5000 g  | 5000 g  | 15000 g | 5000 g  | 4000/7000/10000 g   | 20                  | 3805MP                             |             |               |       |
|                   | 1 g   | 30000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10                  | IWA30FEP-I                         |             |               |       |
|                   | 1 g   | 30000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10                  | 3806MP6/5806/5826                  |             |               |       |
|                   | 1 g   | 30000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10                  | CW...30...-I                       |             |               |       |
|                   | 1 g   | 30000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 15                  | IS30FES-MOCE                       |             |               |       |
|                   | 1 g   | 31000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 2                   | I31                                |             |               |       |
|                   | 1 g   | 31000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 5                   | IB31                               |             |               |       |
|                   | 1 g   | 31000 g | 10000 g | 10000 g | 30000 g | 10000 g | 7000/15000/20000 g  | 10                  | 3826MP7-2                          |             |               |       |
|                   | 1 g   | 34000 g | 10000 g | 20000 g | 30000 g | 10000 g | 7000/15000/25000 g  | 1.6                 | LP34/LA34                          |             |               |       |
|                   |       |         |         |         |         |         |                     | 2                   | IC34/LC34/BP34/CP(A)34000(-OCE)    |             |               |       |
|                   | 1 g   | 35000 g | 10000 g | 20000 g | 35000 g | 10000 g | 7000/15000/25000 g  | 10                  | EA35EDE-I/EB35EDE-I/SIWRDCP-1-35-I |             |               |       |
|                   | 1 g   | 36200 g | 10000 g | 20000 g | 35000 g | 10000 g | 7000/15000/25000 g  | 2                   | MS(X)36200S                        |             |               |       |
|                   | 1 g   | 50500 g | 10000 g | 20000 g | 50000 g | 20000 g | 12000/30000/40000 g | 4                   | F50S-X                             |             |               |       |
|                   | 1 g   | 60000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 5                   | 3807MP6/3807MP8/5707MP6/5807       |             |               |       |
|                   | 1 g   | 60000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 10                  | QA60FEG-S/QC60FEG-S                |             |               |       |
|                   | 1 g   | 61000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 3                   | F61S                               |             |               |       |
|                   | 1 g   | 64000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 2                   | IC64                               |             |               |       |
|                   |       |         |         |         |         |         |                     | 3                   | FB64EDE-S/FC64EDE-SX/FCA64EDE-SX   |             |               |       |
|                   | 1 g   | 64000 g | 20000 g | 20000 g | 60000 g | 20000 g | 15000/30000/40000 g | 3                   | FD64FEG-S/IS64FEG-SOCE             |             |               |       |

| *>10 <sup>6</sup> | 目量    | ひょう量     | 繰返し性     |          | 偏置荷重     |          | スパン                    |                     | 正確さ測定   |                         | 温度係数  | 適用天びん |
|-------------------|-------|----------|----------|----------|----------|----------|------------------------|---------------------|---|-------------------------|-------|-------|
|                   |       |          | 試験荷重     | 試験荷重     | 試験荷重     | 試験荷重     | 試験荷重                   | 試験荷重                | 試験荷重  | 試験荷重                    | ppm/K |       |
|                   | 1 g   | 64000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 20000 g                | 15000/30000/40000 g | 3   | FBG64EDE-S/IS64EDE-S0CE |       |       |
|                   | 1 g   | 65000 g  | 20000 g  | 20000 g  | 65000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | QA65EDE-S/QC65EDE-S                                   |                         |       |       |
|                   | 1 g   | 65000 g  | 20000 g  | 20000 g  | 65000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | SIWADCP-1-65-S  |                         |       |       |
|                   | 1 g   | 70200 g  | 20000 g  | 30000 g  | 70000 g  | 20000 g  | 20000/30000/50000 g    | 3                   | MS(X)70200S   |                         |       |       |
|                   | 1 g   | 151000 g | 60000 g  | 60000 g  | 150000 g | 40000 g  | 30000/70000/100000 g   | 2.5                 | F150S(-X)/FD150IGG-S/IS150IGG-S0CE(H)<br>FCA150IGG-HX |                         |       |       |
|                   | 2 g   | 6000 g   | 2000 g   | 2000 g   | 6000 g   | 2000 g   | 1500/3000/4000 g       | 100                 | EA6DCE-L/EB6DCE-L                                     |                         |       |       |
|                   | 2 g   | 6000 g   | 2000 g   | 2000 g   | 6000 g   | 2000 g   | 1500/3000/4000 g       | 10                  | CW-6-3-LCE  |                         |       |       |
|                   | 2 g   | 16000 g  | 5000 g   | 5000 g   | 15000 g  | 5000 g   | 4000/7000/10000 g      | 20                  | CB16EDX-N   |                         |       |       |
|                   | 2 g   | 30000 g  | 10000 g  | 10000 g  | 30000 g  | 10000 g  | 7000/15000/20000 g     | 10                  | CW-30-3-L/MW...-L                                     |                         |       |       |
|                   | 2 g   | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | EA60EDE-I/EB60EDE-I/EA60FEG-I/EB60FEG-I               |                         |       |       |
|                   | 2 g   | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | IWA60FEP-I/SIWRDCP-1-60-I                             |                         |       |       |
|                   | 2 g   | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 15                  | IS60IGS-M0CE/IS60FES-M0CE                             |                         |       |       |
|                   | 2 g   | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | CW-60-3-I   |                         |       |       |
|                   | 2 g   | 121000 g | 20000 g  | 40000 g  | 100000 g | 40000 g  | 30000/50000/80000 g    | 5                   | 5503MP8-1   |                         |       |       |
|                   | 2 g   | 150000 g | 30000 g  | 50000 g  | 150000 g | 50000 g  | 30000/70000/100000 g   | 10                  | QA150FEG-S/QC150FEG-S                                 |                         |       |       |
|                   | 2 g   | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 2.5                 | F300S-XDS/FD300IGG-S                                  |                         |       |       |
|                   | 2 g   | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 2.5                 | F300S-XDS/IS300IGG-S0CE(H)/FCA300IGG-HX               |                         |       |       |
|                   | 5 g   | 15000 g  | 5000 g   | 5000 g   | 15000 g  | 5000 g   | 3000/7000/10000 g      | 100                 | EA15DCE-L/EB15DCE-L                                   |                         |       |       |
|                   | 5 g   | 15000 g  | 5000 g   | 5000 g   | 15000 g  | 5000 g   | 3000/7000/10000 g      | 10                  | CW-15-3-LCE   |                         |       |       |
|                   | 5 g   | 34000 g  | 10000 g  | 20000 g  | 30000 g  | 10000 g  | 7000/15000/25000 g     | 2                   | CB34EDX-N   |                         |       |       |
|                   | 5 g   | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 10                  | CW-60-3-L/MW...-L/IW2P1-60ED(FE)-L                    |                         |       |       |
|                   | 5 g   | 150000 g | 60000 g  | 60000 g  | 150000 g | 40000 g  | 30000/70000/100000 g   | 10                  | EA150FEG-I/EB150FEG-I                                 |                         |       |       |
|                   | 5 g   | 150000 g | 60000 g  | 60000 g  | 150000 g | 40000 g  | 30000/70000/100000 g   | 10                  | IWA150FES-I/IWA150IIS-I                               |                         |       |       |
|                   | 5 g   | 150000 g | 60000 g  | 60000 g  | 150000 g | 40000 g  | 30000/70000/100000 g   | 15                  | IS150IGS-M0CE   |                         |       |       |
|                   | 5 g   | 150000 g | 60000 g  | 60000 g  | 150000 g | 40000 g  | 30000/70000/100000 g   | 10                  | CW-150-3-I  |                         |       |       |
|                   | 10 g  | 35000 g  | 10000 g  | 20000 g  | 35000 g  | 10000 g  | 7000/15000/25000 g     | 100                 | EA35EDE-L/EB35EDE-L                                   |                         |       |       |
|                   | 10 g  | 64000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 50                  | CB64EDX-N   |                         |       |       |
|                   | 10 g  | 150000 g | 30000 g  | 50000 g  | 150000 g | 50000 g  | 30000/70000/100000 g   | 10                  | CW-150-3-L/MW...-L/IW2P1-150FE-L                      |                         |       |       |
|                   | 10 g  | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 10                  | IWA300IGS-I/IWA300IIS-I                               |                         |       |       |
|                   | 10 g  | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 15                  | IS300IGS-M0CE   |                         |       |       |
|                   | 10 g  | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 10                  | CW-300-3-I  |                         |       |       |
|                   | 10 g  | 303000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 2.5                 | F300S   |                         |       |       |
|                   | 20 g  | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 15                  | 5501MP8-1   |                         |       |       |
|                   | 20 g  | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 15                  | QC60GEP-L/QC60GES-L                                   |                         |       |       |
|                   | 20 g  | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 15                  | QA60GEP-L/QC60GEP-L                                   |                         |       |       |
|                   | 20 g  | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 100                 | EA60FEG-L/EB60FEG-L                                   |                         |       |       |
|                   | 20 g  | 60000 g  | 20000 g  | 20000 g  | 60000 g  | 20000 g  | 15000/30000/40000 g    | 100                 | EA60EDE-L/EB60EDE-L/EA60FEG-L/EB60FEG-L               |                         |       |       |
|                   | 20 g  | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 2.5                 | FD300IGG-S  |                         |       |       |
|                   | 20 g  | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 10                  | CW-300-3-L  |                         |       |       |
|                   | 20 g  | 303000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 2.5                 | F300S-XD  |                         |       |       |
|                   | 20 g  | 600000 g | 100000 g | 200000 g | 600000 g | 200000 g | 150000/300000/400000 g | 10                  | IWA600IIS-I   |                         |       |       |
|                   | 20 g  | 600000 g | 100000 g | 200000 g | 600000 g | 200000 g | 150000/300000/400000 g | 10                  | IF600LIP-L0CE/IF600NLP-L0CE/IF600NNS-L0CE             |                         |       |       |
|                   | 20 g  | 600000 g | 100000 g | 200000 g | 600000 g | 200000 g | 150000/300000/400000 g | 10                  | IF600LIS-L0CE/IF600NLS-L0CE/IF600NNS-L0CE             |                         |       |       |
|                   | 20 g  | 600000 g | 100000 g | 200000 g | 600000 g | 200000 g | 150000/300000/400000 g | 10                  | CW-600-3-I  |                         |       |       |
|                   | 50 g  | 150000 g | 30000 g  | 50000 g  | 150000 g | 50000 g  | 30000/70000/100000 g   | 15                  | QC150GEP-L/QC150GES-L                                 |                         |       |       |
|                   | 50 g  | 150000 g | 30000 g  | 50000 g  | 150000 g | 50000 g  | 30000/70000/100000 g   | 15                  | QC150HGS-L/QC150HGP-L                                 |                         |       |       |
|                   | 50 g  | 150000 g | 30000 g  | 50000 g  | 150000 g | 50000 g  | 30000/70000/100000 g   | 100                 | EA150FEG-L/EB150FEG-L                                 |                         |       |       |
|                   | 50 g  | 600000 g | 100000 g | 200000 g | 600000 g | 200000 g | 150000/300000/400000 g | 10                  | CW-600-3-L  |                         |       |       |
|                   | 100 g | 300000 g | 40000 g  | 100000 g | 300000 g | 100000 g | 70000/150000/200000 g  | 15                  | QC300HGP-L/QC300HGS-L                                 |                         |       |       |

| *>10 <sup>6</sup> | 目量           | ひょう量         | 繰返し性   |        | スパン          | 正確さ測定            |                                      | 温度係数<br>ppm/K | 適用天びん                           |
|-------------------|--------------|--------------|--------|--------|--------------|------------------|--------------------------------------|---------------|---------------------------------|
|                   |              |              | 試験荷重   | 偏置荷重   |              | 試験荷重             | 風袋荷重                                 |               |                                 |
| D                 | 0.1/1 mg     | 80/300 g     | 50 g   | 100 g  | 70/300 g     | 20 g<br>100 g    | 20/40/50 g<br>70/150/200 g           | 3             | 1615MP6                         |
| D                 | 0.001/0.01 g | 30/300 g     | 20 g   | 100 g  | 30/300 g     | 10 g<br>100 g    | 7/15/20 g<br>70/150/200 g            | 5             | 1212MP3                         |
| D                 | 0.001/0.01 g | 30/303 g     | 20 g   | 100 g  | 30/300 g     | 10 g<br>100 g    | 7/15/20 g<br>70/150/200 g            | 5             | 1412MP8                         |
| D                 | 0.001/0.01 g | 40/424 g     | 20 g   | 200 g  | 40/400 g     | 20 g<br>200 g    | 10/20/30 g<br>100/200/300 g          | 5             | L420D                           |
| D                 | 0.001/0.01 g | 60/600 g     | 50 g   | 200 g  | 50/600 g     | 20 g<br>200 g    | 15/30/40 g<br>150/300/400 g          | 5             | 1219MP3                         |
| D                 | 0.001/0.01 g | 60/600 g     | 50 g   | 200 g  | 50/600 g     | 20 g<br>200 g    | 15/30/40 g<br>150/300/400 g          | 5             | 3719                            |
| D                 | 0.001/0.01 g | 60/606 g     | 50 g   | 200 g  | 50/600 g     | 20 g<br>200 g    | 15/30/40 g<br>150/300/400 g          | 4<br>5        | L610D<br>1419MP8                |
| D                 | 0.001/0.01 g | 60/620 g     | 50 g   | 200 g  | 50/600 g     | 20 g<br>200 g    | 15/30/40 g<br>150/300/400 g          | 1.8           | LC620D                          |
| D                 | 0.001/0.01 g | 500/2020 g   | 500 g  | 1000 g | 500/2000 g   | 200 g<br>1000 g  | 100/200/300 g<br>500/1000/1500 g     | 2             | E2000D                          |
| D                 | 0.001/0.01 g | 500/2020 g   | 500 g  | 1000 g | 500/2000 g   | 200 g<br>1000 g  | 100/200/300 g<br>500/1000/1500 g     | 2             | 1518MP8                         |
| D                 | 0.001/0.01 g | 1000/3200 g  | 1000 g | 1000 g | 1000/3000 g  | 500 g<br>1000 g  | 200/500/700 g<br>700/1500/2000 g     | 1.8           | LC3200D/LC3201D/LP3200D/LA3200D |
| D                 | 0.01/0.1 g   | 120/1200 g   | 100 g  | 500 g  | 100/1000 g   | 50 g<br>500 g    | 30/50/80 g<br>300/500/800 g          | 5<br>20       | 1216MP1<br>3716                 |
| D                 | 0.01/0.1 g   | 260/2600 g   | 200 g  | 1000 g | 250/2500 g   | 100 g<br>1000 g  | 70/150/200 g<br>700/1500/2000 g      | 20            | 3504                            |
| D                 | 0.01/0.1 g   | 300/3000 g   | 200 g  | 1000 g | 250/3000 g   | 100 g<br>1000 g  | 70/150/200 g<br>700/1500/2000 g      | 5             | 1213MP3                         |
| D                 | 0.01/0.1 g   | 300/3000 g   | 200 g  | 1000 g | 250/3000 g   | 100 g<br>1000 g  | 70/150/200 g<br>700/1500/2000 g      | 8<br>10       | 1416MP8<br>3713                 |
| D                 | 0.01/0.1 g   | 500/5050 g   | 500 g  | 2000 g | 500/5000 g   | 200 g<br>2000 g  | 100/200/300 g<br>1200/3000/4000 g    | 8             | U5000D                          |
| D                 | 0.01/0.1 g   | 500/5050 g   | 500 g  | 2000 g | 500/5000 g   | 200 g<br>2000 g  | 100/200/300 g<br>1200/3000/4000 g    | 8             | 1413MP8                         |
| D                 | 0.01/0.1 g   | 600/6100 g   | 500 g  | 2000 g | 500/6000 g   | 200 g<br>2000 g  | 150/300/400 g<br>1500/3000/4000 g    | 5             | U6100D                          |
| D                 | 0.01/0.1 g   | 600/6200 g   | 500 g  | 2000 g | 500/6000 g   | 200 g<br>2000 g  | 150/300/400 g<br>1500/3000/4000 g    | 4             | LC6200D                         |
| D                 | 0.01/0.1 g   | 800/3000 g   | 500 g  | 1000 g | 700/3000 g   | 200 g<br>1000 g  | 200/400/500 g<br>700/1500/2000 g     | 3             | 1264 004                        |
| D                 | 0.1/1 g      | 1600/16000 g | 1000 g | 5000 g | 1500/15000 g | 500 g<br>5000 g  | 400/700/1000 g<br>4000/7000/10000 g  | 20            | 3552/5815                       |
| D                 | 0.1/1 g      | 2600/16000 g | 2000 g | 5000 g | 2500/15000 g | 1000 g<br>5000 g | 700/1500/2000 g<br>4000/7000/10000 g | 20            | 3502                            |

| *>10 <sup>6</sup> | 目量         | ひょう量        | 繰返し性  |       | 偏置荷重  |       | スパン              |        | 正確さ測定  |      |                                     | 温度係数 | 適用天びん |
|-------------------|------------|-------------|-------|-------|-------|-------|------------------|--------|--------|------|-------------------------------------|------|-------|
|                   |            |             | 試験荷重  | 試験荷重  | 試験荷重  | 試験荷重  | 試験荷重             | 試験荷重   | 試験荷重   | 試験荷重 | 試験荷重                                |      |       |
| *                 | 0.1 μg     | 0.12 g      | 0.05  | 0.05  | 0.1 g | 0.1 g | 0.02/0.05/0.08 g | 0.02 g | 0.02 g | 3    | S4                                  |      |       |
| *                 | 0.1 μg     | 2.1 g       | 1 g   | 1 g   | 2 g   | 2 g   | 0.5/1/1.5 g      | 0.5 g  | 1      | 1    | SC2(-F)/SE2(-F)/MS(X)2.7S           |      |       |
| *                 | 0.1 μg     | 6.1 g       | 2 g   | 2 g   | 6 g   | 6 g   | 1/2/4 g          | 1 g    | 1      | 1    | CCE6                                |      |       |
| *                 | 1 μg       | 5.1 g       | 2 g   | 2 g   | 5 g   | 5 g   | 1/2/3 g          | 1 g    | 1      | 1    | MC5(-F)/ME5(-F)                     |      |       |
| *                 | 1 μg       | 6.1 g       | 2 g   | 2 g   | 6 g   | 6 g   | 1/2/4 g          | 1 g    | 1      | 1    | MS(X)6.6S                           |      |       |
| *                 | 1 μg       | 31 g        | 10 g  | 10 g  | 30 g  | 30 g  | 10/15/20 g       | 10 g   | 1      | 1    | ME36S                               |      |       |
| *                 | 1 μg(2 μg) | 20 g        | 10 g  | 10 g  | 20 g  | 20 g  | 5/10/15 g        | 5 g    | 1      | 1    | WZA26-CW                            |      |       |
| *                 | 1 μg       | 66 g        | 20 g  | 20 g  | 60 g  | 60 g  | 10/20/40 g       | 10 g   | 2      | 2    | CCE66                               |      |       |
| *                 | 0.01 mg    | 16 g(166 g) | 5 g   | 5 g   | 15 g  | 15 g  | 2/5/10 g         | 2 g    | 2      | 2    | 2004MP6/2024MP6                     |      |       |
| *                 | 0.01 mg    | 20 g        | 10 g  | 10 g  | 20 g  | 20 g  | 5/10/15 g        | 5 g    | 1      | 1    | WZA25-NC                            |      |       |
| *                 | 0.01 mg    | 50 g        | 20 g  | 20 g  | 50 g  | 50 g  | 10/20/30 g       | 10 g   | 3      | 3    | I783                                |      |       |
| *                 | 0.01 mg    | 60 g        | 20 g  | 20 g  | 50 g  | 50 g  | 10/20/30 g       | 10 g   | 1      | 1    | WZA65-CW                            |      |       |
| *                 | 0.01 mg    | 210 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | RC210S/MC210S/ME215S                |      |       |
| *                 | 0.01 mg    | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | MS(X)225S/WZA225-CW                 |      |       |
| *                 | 0.01 mg    | 230 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | ME235S                              |      |       |
| *                 | 0.1 mg     | 101 g       | 50 g  | 50 g  | 100 g | 100 g | 20/50/70 g       | 20 g   | 2      | 2    | 1601MP8                             |      |       |
| *                 | 0.1 mg     | 110 g       | 50 g  | 50 g  | 100 g | 100 g | 20/50/70 g       | 20 g   | 1.2    | 2    | BP110S<br>1601MP8                   |      |       |
| *                 | 0.1 mg     | 110 g       | 50 g  | 50 g  | 100 g | 100 g | 20/50/70 g       | 20 g   | 2      | 2    | BA110S                              |      |       |
| *                 | 0.1 mg     | 111 g       | 50 g  | 50 g  | 100 g | 100 g | 20/50/70 g       | 20 g   | 2      | 2    | H110                                |      |       |
| *                 | 0.1 mg     | 111 g       | 50 g  | 50 g  | 100 g | 100 g | 20/50/70 g       | 20 g   | 2      | 2    | I801MP-1                            |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 1      | 1    | LA120S                              |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 1.2    | 2    | AC120S/AC121S/WZ(A)124(-CW)         |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 1      | 1    | CPA124S/MS(X)124S                   |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 1.5    | 3    | Secura124/Quintix124                |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 3      | 3    | Practum124                          |      |       |
| *                 | 0.1 mg     | 120 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 2      | 2    | BJ120S/TE124S/ED124S/AX124/AZ124    |      |       |
| *                 | 0.1 mg     | 121 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 1.2    | 2    | BP121S/CP124S                       |      |       |
| *                 | 0.1 mg     | 121 g       | 50 g  | 50 g  | 100 g | 100 g | 30/50/70 g       | 20 g   | 2      | 2    | A120S/B120S                         |      |       |
| *                 | 0.1 mg     | 150 g       | 50 g  | 50 g  | 150 g | 150 g | 30/70/100 g      | 20 g   | 1      | 1    | LA130S-F                            |      |       |
| *                 | 0.1 mg     | 160 g       | 50 g  | 50 g  | 150 g | 150 g | 30/70/100 g      | 20 g   | 3      | 3    | 2007MP6                             |      |       |
| *                 | 0.1 mg     | 162 g       | 50 g  | 50 g  | 150 g | 150 g | 30/70/100 g      | 20 g   | 2      | 2    | 1602MP6                             |      |       |
| *                 | 0.1 mg     | 202 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 2      | 2    | A200S/1602MP8/1702MP8               |      |       |
| *                 | 0.1 mg     | 210 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1.2    | 2    | AC210S/AC211S/BP210S/BP211S         |      |       |
| *                 | 0.1 mg     | 210 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 2      | 2    | BA210S                              |      |       |
| *                 | 0.1 mg     | 210 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 2      | 2    | BJ210S/TE214S/AZ214                 |      |       |
| *                 | 0.1 mg     | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1.2    | 2    | BP221S/CP224S/WZ(A)224(-CW,NC,ND,N) |      |       |
| *                 | 0.1 mg     | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | CPA224S/MS(X)224S                   |      |       |
| *                 | 0.1 mg     | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1.5    | 3    | Secura224/Quintix224                |      |       |
| *                 | 0.1 mg     | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 3      | 3    | Practum224                          |      |       |
| *                 | 0.1 mg     | 220 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 2      | 2    | ED224S/AX224                        |      |       |
| *                 | 0.1 mg     | 230 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | LA230S                              |      |       |
| *                 | 0.1 mg     | 240 g       | 100 g | 100 g | 200 g | 200 g | 50/100/150 g     | 50 g   | 1      | 1    | LE244S                              |      |       |
| *                 | 0.1 mg     | 250 g       | 100 g | 100 g | 250 g | 250 g | 60/120/170 g     | 50 g   | 1      | 1    | RC250S                              |      |       |
| *                 | 0.1 mg     | 250 g       | 100 g | 100 g | 250 g | 250 g | 60/120/170 g     | 50 g   | 1      | 1    | ME254S                              |      |       |
| *                 | 0.1 mg     | 300 g       | 100 g | 100 g | 300 g | 300 g | 70/150/220 g     | 50 g   | 1      | 1.5  | BP300S/BP301S<br>1603MP8            |      |       |
| *                 | 0.1 mg     | 303 g       | 100 g | 100 g | 300 g | 300 g | 70/150/220 g     | 50 g   | 1.5    | 3    | R300S                               |      |       |
| *                 | 0.1 mg     | 310 g       | 100 g | 100 g | 300 g | 300 g | 70/150/220 g     | 50 g   | 1      | 1    | LA310S                              |      |       |
| *                 | 0.1 mg     | 320 g       | 100 g | 100 g | 300 g | 300 g | 70/150/220 g     | 50 g   | 1      | 1    | CP(A)324S/LE324S/MS(X)324S          |      |       |
| *                 | 0.1 mg     | 410 g       | 200 g | 200 g | 400 g | 400 g | 100/200/300 g    | 100 g  | 1      | 1    | MC410S                              |      |       |
| *                 | 0.1 mg     | 410 g       | 200 g | 200 g | 400 g | 400 g | 100/200/300 g    | 100 g  | 1      | 1    | ME414S                              |      |       |
| *                 | 0.1 mg     | 520 g       | 200 g | 200 g | 500 g | 500 g | 150/300/400 g    | 100 g  | 1      | 1    | MS(X)524S                           |      |       |
| *                 | 0.1 mg     | 610 g       | 200 g | 200 g | 600 g | 600 g | 150/300/400 g    | 100 g  | 1      | 1    | ME614S                              |      |       |

| *>10 <sup>6</sup> | 目量                      | ひょう量             | 繰返し性   |        | スパン       | 正確さ測定                      |              | 温度係数     | 適用天びん  |
|-------------------|-------------------------|------------------|--------|--------|-----------|----------------------------|--------------|----------|--|
|                   |                         |                  | 試験荷重   | 偏置荷重   |           | 試験荷重                       | 風袋荷重         |          |  |
| *                 | 0.001 g                 | 1000 g           | 500 g  | 500 g  | 1000 g    | 200/500/700 g              | 200 g        | 2        | CPA1003S                                     |
| *                 | 0.001 g                 | 1200 g           | 500 g  | 500 g  | 1000 g    | 200/500/700 g              | 200 g        | 1.8      | LC1200S/LC1201S                              |
| *                 | 0.001 g                 | 1200 g           | 500 g  | 500 g  | 1000 g    | 200/500/700 g              | 200 g        | 1.8<br>2 | LP1200S/LA1200S<br>1505MP8/WZA1203(-CW,NC,N) |
| *                 | 0.001 g                 | 1200 g           | 500 g  | 500 g  | 1000 g    | 500/1000/1500 g            | 500 g        | 1        | MS(X)1203S                                   |
| *                 | 0.001 g                 | 1220 g           | 500 g  | 500 g  | 1000 g    | 200/500/700 g              | 200 g        | 2        | E1200S                                       |
| *                 | 0.001 g                 | 2200 g           | 1000 g | 1000 g | 2000 g    | 500/1500/2000 g            | 500 g        | 1.5      | MS(X)2203S                                   |
| *                 | 0.001 g                 | 3200 g           | 1000 g | 1000 g | 3000 g    | 500/1500/2500 g            | 500 g        | 1        | MS(X)3203S                                   |
| *                 | 0.001 g                 | 5200 g           | 2000 g | 2000 g | 5000 g    | 1000/2000/4000 g           | 1000 g       | 1        | MS(X)5203S                                   |
| *                 | 0.01 g                  | 10200 g          | 5000 g | 5000 g | 10000 g   | 2000/5000/7000 g           | 2000 g       | 2        | MS(X)10202S                                  |
| *                 | 0.01 g                  | 12000 g          | 5000 g | 5000 g | 10000 g   | 2000/5000/7000 g           | 2000 g       | 2        | MS(X)10202S                                  |
| *                 | 0.01 g                  | 14200 g          | 5000 g | 5000 g | 14000 g   | 4000/7000/10000 g          | 2000 g       | 2        | MS(X)14202S                                  |
| *                 | 0.1 g                   | 150 kg           | 50 kg  | 50 kg  | 150 kg    | 30/70/100 kg               | 20 kg        | 2.5      | F150S-XD(S)                                  |
| *                 | 0.1 g                   | 150 kg           | 30 kg  | 50 kg  | 150 kg    | 30/70/100 kg               | 20 kg        | 10       | IS150IGG-H                                   |
| *D                | 0.01/0.1 mg             | 30/162 g         | 20 g   | 50 g   | 25/150 g  | 7/15/20 g<br>20/70/120 g   | 5 g<br>20 g  | 1.5      | I712MP8                                      |
| *D                | 0.01/0.1 mg             | 32/162 g         | 20 g   | 50 g   | 30/150 g  | 7/15/20 g<br>20/70/120 g   | 5 g<br>20 g  | 1.5      | R160D  |
| *D                | 0.01/0.1 mg             | 33/182 g         | 20 g   | 50 g   | 30/150 g  | 7/15/20 g<br>20/70/120 g   | 5 g<br>20 g  | 1.5      | R180D  |
| *D                | 0.01/0.1 mg             | 40/200 g         | 20 g   | 100 g  | 40/170 g  | 10/20/30 g<br>50/100/120 g | 10 g<br>50 g | 1.5      | R200D  |
| *D                | 0.01/0.1 mg             | 52/210 g         | 50 g   | 100 g  | 50/200 g  | 10/20/30 g<br>50/100/150 g | 10 g<br>50 g | 1        | RC210D                                       |
| *D                | 0.01/0.1 mg             | 80/210 g         | 50 g   | 100 g  | 70/200 g  | 10/20/50 g<br>50/100/150 g | 20 g<br>50 g | 1        | BP210D/BP211D                                |
| *D                | 0.01/0.1 mg             | 80/220 g         | 50 g   | 100 g  | 70/200 g  | 10/20/50 g<br>50/100/150 g | 20 g<br>50 g | 1        | CP225D                                       |
| *D                | 0.01/0.1 mg             | 100/220 g        | 50 g   | 200 g  | 100/200 g | 20/50/70 g<br>50/100/150 g | 20 g<br>50 g | 1        | LE225D/CPA225D                               |
| *P                | 1/2/5 μg                | 0.5/1/1.5 g      | 0.5 g  | 1 g    | 1.5 g     | 0.2/0.5/1 g                | 0.5 g        | 5        | M3P  |
| *P                | 1/2/5 μg                | 0.5/1/2 g        | 0.5 g  | 1 g    | 2 g       | 0.5/1/1.5 g                | 0.5 g        | 5        | M2P/CP(A)2P(-F)                              |
| *P                | 1/2/5 μg                | 0.5/1/2(5) g     | 0.5 g  | 2 g    | 2 g       | 0.5/1/1.5 g                | 0.5 g        | 5        | M5P(-F)                                      |
| *P                | 1/2/5 μg                | 1.1/2.1/3.1 g    | 1 g    | 1 g    | 3 g       | 0.5/1.5/2.5 g              | 0.5 g        | 1.5      | MS(X)3.6P                                    |
| *P                | 2/10 μg                 | 5/21 g           | 2 g    | 10 g   | 20 g      | 5/10/15 g                  | 5 g          | 1        | CP(A)26P                                     |
| *P                | 0.01/0.02/0.05 mg       | 30/80/162 g      | 20 g   | 50 g   | 150 g     | 20/50/100 g                | 20 g         | 1.5      | R160P  |
| *P                | 0.01/0.02/0.05 mg       | 60/110/210 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1        | RC210P                                       |
| *P                | 0.01/0.02/0.05 mg       | 60/110/210 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1        | MC210P/ME215P                                |
| *P                | 0.01/0.02/0.05 mg       | 60/120/220 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1        | MS(X)225P                                    |
| *P                | 0.01/0.02/0.05 mg       | 60/110/230 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1        | ME235P                                       |
| *P                | 0.01/0.1 mg             | 60/120 g         | 50 g   | 50 g   | 100 g     | 30/50/70 g                 | 20 g         | 1        | MS(X)125P                                    |
| P                 | 0.1/0.2/0.5/1 mg        | 30/60/110/160 g  | 20 g   | 50 g   | 150 g     | 30/70/100 g                | 20 g         | 1.2<br>2 | BP160P/BP161P<br>BA160P                      |
| P                 | 0.1/0.2/0.5 mg          | 60/100/162 g     | 50 g   | 50 g   | 150 g     | 30/70/100 g                | 50 g         | 2        | I872MP8-2                                    |
| P                 | 0.1/0.2/0.5 mg          | 60/120/210 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1.2      | AC210P/AC211P                                |
| P                 | 0.1/0.2/0.5 mg          | 60/120/212 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 2        | A210P  |
| P                 | 0.1/0.2/0.5 mg          | 60/120/230 g     | 50 g   | 100 g  | 200 g     | 50/100/150 g               | 50 g         | 1        | LA230P                                       |
| P                 | 0.1/0.2/0.5 mg          | 80/160/320 g     | 50 g   | 100 g  | 300 g     | 70/150/250 g               | 50 g         | 1        | MS(X)324P                                    |
| *P                | 0.1/0.2/0.5 mg          | 100/200/303 g    | 100 g  | 100 g  | 300 g     | 50/100/200 g               | 100 g        | 2        | I773MP8-2                                    |
| *P                | 0.1/0.2/0.5 mg          | 120/240/520 g    | 100 g  | 300 g  | 500 g     | 200/300/400 g              | 100 g        | 1        | MS(X)524P                                    |
| P                 | 0.001/0.002/0.005 g     | 80/160/320 g     | 50 g   | 100 g  | 300 g     | 50/150/220 g               | 50 g         | 1.8      | CP323P                                       |
| P                 | 0.001/0.002/0.005 g     | 80/160/424 g     | 50 g   | 200 g  | 400 g     | 100/200/300 g              | 50 g         | 3        | L420P  |
| P                 | 0.001/0.002/0.005/0.1 g | 40/80/200/424 g  | 20 g   | 200 g  | 400 g     | 100/200/300 g              | 20 g         | 4        | I475MP8                                      |
| P                 | 0.001/0.002/0.005 g     | 120/240/620 g    | 100 g  | 200 g  | 600 g     | 100/300/400 g              | 100 g        | 1.8      | LC620P/LC621P/LP620P/LA620P/LE623P           |
| P                 | 0.001/0.002/0.005 g     | 150/300/620 g    | 100 g  | 200 g  | 600 g     | 100/300/400 g              | 100 g        | 2        | MS(X)623P                                    |
| P                 | 0.001/0.01 g            | 500/1000 g       | 500 g  | 500 g  | 1000 g    | 200/500/700 g              | 200 g        | 2        | CPA1003P                                     |
| P                 | 0.001/0.01 g            | 1010/2200 g      | 1000 g | 1000 g | 2000 g    | 500/1000/1500 g            | 500 g        | 1        | MS(X)2203P                                   |
| P                 | 0.001/0.01 g            | 1010/3200 g      | 1000 g | 1000 g | 3000 g    | 500/1500/2200 g            | 500 g        | 1        | MS(X)3203P                                   |
| P                 | 0.001/0.002/0.005 g     | 1200/2400/5200 g | 1000 g | 2000 g | 5000 g    | 2000/3000/4000 g           | 1000 g       | 1        | MS(X)5203P                                   |

| * $\times 10^6$ | 目量                   | ひょう量                    | 繰返し性    |              |             | 正確さ測定              |        | 温度係数<br>ppm/K | 適用天びん  |
|-----------------|----------------------|-------------------------|---------|--------------|-------------|--------------------|--------|---------------|--|
|                 |                      |                         | 試験荷重    | 偏置荷重<br>試験荷重 | スパン<br>試験荷重 | 風袋荷重               | 試験荷重   |               |  |
| P               | 0.01/0.02/0.05/0.1 g | 200/400/800/1620 g      | 200 g   | 500 g        | 1500 g      | 200/700/1000 g     | 200 g  | 4             | I474MP8.2  |
| P               | 0.01/0.02/0.05 g     | 600/1200/3100 g         | 500 g   | 1000 g       | 3000 g      | 500/1000/2000 g    | 500 g  | 1.8<br>2<br>4 | BP3100P<br>B3100P<br>BA3100P                           |
| P               | 0.01/0.02/0.05 g     | 800/1600/3200 g         | 500 g   | 1000 g       | 3000 g      | 700/1500/2200 g    | 500 g  | 1.8           | CP3202P  |
| P               | 0.01/0.02/0.05 g     | 600/1200/3640 g         | 500 g   | 2000 g       | 3500 g      | 500/1500/2500 g    | 500 g  | 10            | U3600P   |
| P               | 0.01/0.02/0.05 g     | 600/1200/4240 g         | 500 g   | 2000 g       | 4000 g      | 500/1500/2500 g    | 500 g  | 3             | E4200P   |
| P               | 0.01/0.02/0.05 g     | 3500/7500/14200 g       | 2000 g  | 10000 g      | 14000 g     | 3000/7000/12000 g  | 2000 g | 2             | MS(X)14202P  |
| P               | 0.01/0.02/0.05/0.1 g | 400/800/2000/4240 g     | 200 g   | 2000 g       | 4000 g      | 1000/2000/3000 g   | 200 g  | 5             | I574MP8.2  |
| P               | 0.01/0.02/0.05/0.1 g | 800/1600/3000/4800 g    | 500 g   | 2000 g       | 4500 g      | 1000/2000/3000 g   | 500 g  | 4             | LC4800P/LC4801P  |
| P               | 0.01/0.02/0.05/0.1 g | 800/1600/3000/4840 g    | 500 g   | 2000 g       | 4500 g      | 1000/2000/3000 g   | 500 g  | 5             | U4800P   |
| P               | 0.01/0.02/0.05 g     | 400/800/2200 g          | 200 g   | 1000 g       | 2000 g      | 500/1000/1500 g    | 200 g  | 2             | LC2200P/LC2201P/LP2200P/LA2200P                        |
| P               | 0.01/0.02/0.05 g     | 400/800/2220 g          | 200 g   | 1000 g       | 2000 g      | 500/1000/1500 g    | 200 g  | 3             | L2200P   |
| P               | 0.01/0.02/0.05 g     | 1500/3000/6200 g        | 1000 g  | 2000 g       | 6000 g      | 1000/3000/4000 g   | 1000 g | 1.8           | LE6202P  |
| P               | 0.01/0.02/0.05 g     | 1500/3000/6200 g        | 1000 g  | 2000 g       | 6000 g      | 1000/3000/4000 g   | 1000 g | 2             | MS(X)6202P/CPA6202P                                    |
| P               | 0.01/0.02/0.05 g     | 2010/4010/8200 g        | 2000 g  | 3000 g       | 8000 g      | 2000/4000/6000 g   | 2000 g | 1.8           | LP8200P/LA8200P  |
| P               | 0.01/0.02/0.05/0.1 g | 1200/2400/3600/5200 g   | 1000 g  | 2000 g       | 5000 g      | 1000/2000/3000 g   | 1000 g | 4             | LP5200P/LA500P   |
| P               | 0.01/0.02/0.05/0.1 g | 800/1600/4000/8100 g    | 500 g   | 5000 g       | 8000 g      | 2000/4000/6000 g   | 500 g  | 3             | E8100P   |
| P               | 0.01/0.02/0.05/0.1 g | 800/1600/4000/8200 g    | 500 g   | 5000 g       | 8000 g      | 2000/4000/6000 g   | 500 g  | 3             | LP8200P/LA8200P  |
| P               | 0.1/0.2/0.5 g        | 3000/6000/12000 g       | 2000 g  | 5000 g       | 10000 g     | 2000/5000/7000 g   | 2000 g | 4             | LP12000P/LA12000P                                      |
| P               | 0.1/0.2/0.5 g        | 8000/16000/34000 g      | 5000 g  | 20000 g      | 30000 g     | 5000/15000/25000 g | 5000 g | 1.6           | LP34000P/LA34000P                                      |
| P               | 0.1/0.2/0.5 g        | 8000/16000/34000 g      | 5000 g  | 20000 g      | 30000 g     | 5000/15000/25000 g | 5000 g | 2             | IC34000P/BP34000P/LC34000P/CP34001P<br>CPA43001P(-0CE) |
| P               | 0.1/0.2/0.5 g        | 8000/16000/34000 g      | 5000 g  | 20000 g      | 30000 g     | 5000/15000/25000 g | 5000 g | 2             | LP34001P/LA34001P/LE34001P                             |
| P               | 0.1/0.5 g            | 10200/36200 g           | 10000 g | 20000 g      | 35000 g     | 5000/15000/25000 g | 5000 g | 2             | MS(X)36201P  |
| P               | 0.1/0.2/0.5/1 g      | 3000/6000/15000/24200 g | 2000 g  | 10000 g      | 20000 g     | 5000/10000/15000 g | 2000 g | 10            | 3876   |